

pelipal

S5 DOUBLE MIRRORED

MADE IN GERMANY



S5 double mirrored

illustration LED top light type I



LED top light Type I

	width (mm)
S5-SPSD 03-I	400
S5-SPSD 05-I	500
S5-SPSD 06-I	600
S5-SPSD 08-I	700
S5-SPSD 11-I	800
S5-SPSD 13-I	900
S5-SPSD 15-I	1000
S5-SPSD 18-I	1100
S5-SPSD 20-I	1200
S5-SPSD 21-I	1200
S5-SPSD 24-I	1300
S5-SPSD 25-I	1400
S5-SPSD 26-I	1400
S5-SPSD 27-I	1500
S5-SPSD 29-I	1600
S5-SPSD 32-I	1700
S5-SPSD 34-I	1800

illustration LED top light type II



LED top light Type II

	width (mm)
S5-SPSD 03-II	400
S5-SPSD 05-II	500
S5-SPSD 06-II	600
S5-SPSD 08-II	700
S5-SPSD 11-II	800
S5-SPSD 13-II	900
S5-SPSD 15-II	1000
S5-SPSD 18-II	1100
S5-SPSD 20-II	1200
S5-SPSD 21-II	1200
S5-SPSD 24-II	1300
S5-SPSD 25-II	1400
S5-SPSD 26-II	1400
S5-SPSD 27-II	1500
S5-SPSD 29-II	1600
S5-SPSD 32-II	1700
S5-SPSD 34-II	1800

illustration



Hinged doors - double mirrored

width (mm)

illustration

switch/socket (here as an example for switching top light and washing area lighting)

width (mm)

S5 double mirrored

illustration

Top light type III



new

LED top light type III

	width (mm)
S5-SPSD 06-III	600
S5-SPSD 08-III	700
S5-SPSD 11-III	800
S5-SPSD 13-III	900
S5-SPSD 15-III	1000
S5-SPSD 18-III	1100
S5-SPSD 20-III	1200
S5-SPSD 21-III	1200
S5-SPSD 24-III	1300
S5-SPSD 25-III	1400
S5-SPSD 26-III	1400
S5-SPSD 27-III	1500
S5-SPSD 29-III	1600
S5-SPSD 32-III	1700
S5-SPSD 34-III	1800

illustration

Top lights type I - III



Technical data top lights type I, type II and type III

	width (mm)
TYPE I	
400 mm	12V LED; LM LED; 4.50W; 255LM; 6000K
600 mm	12V LED; LM LED; 6.87W; 375LM; 6000K
900 mm	12V LED; LM LED; 10.00W; 560LM; 6000K
TYPE II	
400 mm	12V LED; LM LED; 4.50W; 255LM; 6000K
600 mm	12V LED; LM LED; 6.80W; 375LM; 6000K
900 mm	12V LED; LM LED; 10.00W; 560LM; 6000K
TYPE III	
600 mm	12V LED; LM LED; 8.64W; 325LM; 6000K
900 mm	12V LED; LM LED; 12.96W; 485LM; 6000K

All lights / electrical components may only be used along with products from the catalogue!


S5 double mirrored

**mirror cabinet**

incl. LED top light, light width 400 mm
1 door, double mirrored, 2 glass shelves
switch/socket

Please indicate a preference for door hinges on left (L) or right (R)!
Please select lights: Light type I = Art. No. I, Light type II = Art. No. II

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	400	160	S5-SPSD 03-I	L/R	Comfort N	A+++A (I)	-		
703	400	160	S5-SPSD 03-II	L/R	Comfort N	A+++A (I)	-		

**mirror cabinet**

incl. LED top light, light width 400 mm
2 doors, double mirrored, 2 glass shelves
switch/socket
door stop from left: L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	500	160	S5-SPSD 05-I		Comfort N	A+++A (I)	-		
703	500	160	S5-SPSD 05-II		Comfort N	A+++A (I)	-		

**mirror cabinet**

incl. LED top light, light width 600 mm
1 door, double mirrored, 2 glass shelves
switch/socket

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III
Please indicate a preference for door hinges on left (L) or right (R)!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	600	160	S5-SPSD 06-I	L/R	Comfort N	A+++A (I)	-		
703	600	160	S5-SPSD 06-II	L/R	Comfort N	A+++A (I)	-		
703	600	160	S5-SPSD 06-III	L/R	Comfort N	A+++A (I)	-		

**mirror cabinet**

incl. LED top light, light width 600 mm
2 doors, double mirrored, 2 glass shelves
switch/socket
door stop from left: L R
ill. shows left

Model: L / R selectable - please specify when ordering!

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	700	160	S5-SPSD 08-I	L/R	Comfort N	A+++A (I)	-		
703	700	160	S5-SPSD 08-II	L/R	Comfort N	A+++A (I)	-		
703	700	160	S5-SPSD 08-III	L/R	Comfort N	A+++A (I)	-		

**mirror cabinet**

incl. LED top light, light width 600 mm
3 doors, double mirrored, 4 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	800	160	S5-SPSD 11-I		Comfort N	A+++A (I)	-		
703	800	160	S5-SPSD 11-II		Comfort N	A+++A (I)	-		
703	800	160	S5-SPSD 11-III		Comfort N	A+++A (I)	-		

S5 double mirrored



mirror cabinet

incl. LED top light, light width 600 mm
3 doors, double mirrored, 4 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	900	160	S5-SPSD 13-I		Comfort N	A++-A (I)	-		
703	900	160	S5-SPSD 13-II		Comfort N	A++-A (I)	-		
703	900	160	S5-SPSD 13-III		Comfort N	A++-A (I)	-		




mirror cabinet

incl. LED top light, light width 900 mm
3 doors, double mirrored, 4 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1000	160	S5-SPSD 15-I		Comfort N	A++-A (I)	-		
703	1000	160	S5-SPSD 15-II		Comfort N	A++-A (I)	-		
703	1000	160	S5-SPSD 15-III		Comfort N	A++-A (I)	-		




mirror cabinet

incl. LED top light, light width 900 mm
3 doors, double mirrored, 4 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1100	160	S5-SPSD 18-I		Comfort N	A++-A (I)	-		
703	1100	160	S5-SPSD 18-II		Comfort N	A++-A (I)	-		
703	1100	160	S5-SPSD 18-III		Comfort N	A++-A (I)	-		




mirror cabinet

incl. 2 LED top lights, light width 400 mm
2 doors, double mirrored, 4 glass shelves
2x switch/socket
door stop from left: L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III
Attention: For technical reasons, type III only available in 900mm here

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	160	S5-SPSD 20-I		Comfort N	A++-A (I)	-		
703	1200	160	S5-SPSD 20-II		Comfort N	A++-A (I)	-		
703	1200	160	S5-SPSD 20-III		Comfort N	A++-A (I)	-		




mirror cabinet

incl. LED top light, light width 900 mm
3 doors, double mirrored, 6 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	160	S5-SPSD 21-I		Comfort N	A++-A (I)	-		
703	1200	160	S5-SPSD 21-II		Comfort N	A++-A (I)	-		
703	1200	160	S5-SPSD 21-III		Comfort N	A++-A (I)	-		


S5 double mirrored

**mirror cabinet**

incl. 2 LED top lights, light width 600 mm
4 doors, double mirrored, 4 glass shelves
2x switch/socket
door hinges on left: L R L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1300	160	S5-SPSD 24-I		Comfort N	A+++A (1)	-		
703	1300	160	S5-SPSD 24-II		Comfort N	A+++A (1)	-		
703	1300	160	S5-SPSD 24-III		Comfort N	A+++A (1)	-		

**mirror cabinet**

incl. LED top light, light width 900 mm
3 doors, double mirrored, 6 glass shelves
switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1400	160	S5-SPSD 25-I		Comfort N	A+++A (1)	-		
703	1400	160	S5-SPSD 25-II		Comfort N	A+++A (1)	-		
703	1400	160	S5-SPSD 25-III		Comfort N	A+++A (1)	-		

**mirror cabinet**

incl. 2 LED top lights, light width 600 mm
4 doors, double mirrored, 4 glass shelves
2 x switch/socket
door hinges on left: L R L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1400	160	S5-SPSD 26-I		Comfort N	A+++A (1)	-		
703	1400	160	S5-SPSD 26-II		Comfort N	A+++A (1)	-		
703	1400	160	S5-SPSD 26-III		Comfort N	A+++A (1)	-		

**mirror cabinet**

incl. 2 LED top lights, light width 600 mm
3 doors, double mirrored, 6 glass shelves
2x switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1500	160	S5-SPSD 27-I		Comfort N	A+++A (1)	-		
703	1500	160	S5-SPSD 27-II		Comfort N	A+++A (1)	-		
703	1500	160	S5-SPSD 27-III		Comfort N	A+++A (1)	-		


**mirror cabinet**

incl. 2 LED top lights, light width 600 mm
3 doors, double mirrored, 6 glass shelves
2x switch/socket
door stop from left: L L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1600	160	S5-SPSD 29-I		Comfort N	A+++A (1)	-		
703	1600	160	S5-SPSD 29-II		Comfort N	A+++A (1)	-		
703	1600	160	S5-SPSD 29-III		Comfort N	A+++A (1)	-		

S5 double mirrored




mirror cabinet

incl. 2 LED top lights, light width 600 mm
4 doors, double mirrored, 4 glass shelves
2x switch/socket
door hinges on left: L R L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1700	160	S5-SPSD 32-I		Comfort N	A++-A (I)	-		
703	1700	160	S5-SPSD 32-II		Comfort N	A++-A (I)	-		
703	1700	160	S5-SPSD 32-III		Comfort N	A++-A (I)	-		



mirror cabinet

incl. 2 LED top lights, light width 600 mm
4 doors, double mirrored, 4 glass shelves
2x switch/socket
door hinges on left: L R L R

Please select lights: Light type I = Art. No. I, Light type II = Art. No. II, Light type III = Art. No. III

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1800	160	S5-SPSD 34-I		Comfort N	A++-A (I)	-		
703	1800	160	S5-SPSD 34-II		Comfort N	A++-A (I)	-		
703	1800	160	S5-SPSD 34-III		Comfort N	A++-A (I)	-		

LED additional lighting

for washstand lighting, 12V LED, LM LED, 1.7W
can optionally be used with:
S5-SPSD 03-L/R, S5-SPSD 05-L/R und S5-SPSD 06-L/R, (Only 1 item can be ordered!)
and S5-SPSD 20, S5-SPSD 24, (Only 2 items can be ordered!)

Not available separately!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 04			A+ (I)	-		

LED additional lighting

for washstand lighting, 12V LED, LM LED, 3.2W
can optionally be used with:
S5-SPSD 08-L/R, S5-SPSD 11, S5-SPSD 13, S5-SPSD 15, S5-SPSD 21
S5-SPSD 26, S5-SPSD 27, S5-SPSD 28, S5-SPSD 32 and S5-SPSD 34 (Always only 2 pieces available!)

Not available separately!



height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 02			A+ (I)	-		