

pelipal

S26 WITH SIDE-MOUNTED LIGHT PROFILE
AND LED TOP LIGHTS

MADE IN GERMANY



mirror cabinet overview

illustration

S26-SPS 08



mirror cabinet incl. side-mounted LED light profile on the doors and LED top lights , switch/socket outlet module controllabile from outside

width (mm)

S26-SPS 06-R-LA	600
S26-SPS 06-L-RA	600
S26-SPS 06-UN	600
S26-SPS 08-LA	700
S26-SPS 08-RA	700
S26-SPS 08-UN	700
S26-SPS 11-LA	800
S26-SPS 11-RA	800
S26-SPS 11-UN	800
S26-SPS 13-LA	900
S26-SPS 13-RA	900
S26-SPS 13-UN	900
S26-SPS 15-LA	1000
S26-SPS 15-RA	1000
S26-SPS 15-UN	1000
S26-SPS 18-LA	1100
S26-SPS 18-RA	1100
S26-SPS 18-UN	1100
S26-SPS 21-LA	1200
S26-SPS 21-RA	1200
S26-SPS 21-UN	1200
S26-SPS 23-LA	1300
S26-SPS 23-RA	1300
S26-SPS 23-UN	1300
S26-SPS 24-ZA	1300
S26-SPS 24-ZU	1300
S26-SPS 26-ZA	1400
S26-SPS 26-ZU	1400
S26-SPS 27-LA	1500
S26-SPS 27-RA	1500
S26-SPS 27-UN	1500
S26-SPS 28-ZA	1500
S26-SPS 28-ZU	1500
S26-SPS 29-ZA	1600
S26-SPS 29-ZU	1600
S26-SPS 32-ZA	1700
S26-SPS 32-ZU	1700
S26-SPS 34-ZA	1800
S26-SPS 34-ZU	1800

S26 with side-mounted light profile and top lights



mirror cabinet

incl. side-mounted LED light profile on the door, 12V LED, LM LED, 2x7,7W and LED top lights, light width 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
1 door, 2 glass shelves, switch/socket controllable from outside, selectable module position: right external (RA), left external (LA) or underneath (UN)
Door hinges on left: L or R (selectable)

Please indicate a preference for door hinges on left (L) or right (R)!
Please note: module cannot be positioned on exterior on same side as hinges

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	600	180	S26-SPS 06-L-RA	L/R	Comfort N	A++	-		
703	600	180	S26-SPS 06-R-LA	L/R	Comfort N	A++	-		
703	600	180	S26-SPS 06-UN	L/R	Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, light width 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
2 hinged doors, 4 glass shelves
switch/socket controllable from outside, selectable module position: right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L
ill. shows left

Model: L / R selectable - please specify when ordering!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	700	180	S26-SPS 08-LA	L/R	Comfort N	A++	-		
703	700	180	S26-SPS 08-RA	L/R	Comfort N	A++	-		
703	700	180	S26-SPS 08-UN	L/R	Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, light width 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position: right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	800	180	S26-SPS 11-LA		Comfort N	A++	-		
703	800	180	S26-SPS 11-RA		Comfort N	A++	-		
703	800	180	S26-SPS 11-UN		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, light width 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position: right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	900	180	S26-SPS 13-LA		Comfort N	A++	-		
703	900	180	S26-SPS 13-RA		Comfort N	A++	-		
703	900	180	S26-SPS 13-UN		Comfort N	A++	-		




mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position: right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1000	180	S26-SPS 15-LA		Comfort N	A++	-		
703	1000	180	S26-SPS 15-RA		Comfort N	A++	-		
703	1000	180	S26-SPS 15-UN		Comfort N	A++	-		

All lights / electrical components may only be used along with products from the catalogue!


S26 with side-mounted light profile and top lights



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position:
right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
700	1100	180	S26-SPS 18-LA		Comfort N	A++	-		
700	1100	180	S26-SPS 18-RA		Comfort N	A++	-		
700	1100	180	S26-SPS 18-UN		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
2 hinged doors, 4 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	180	S26-SPS 20-ZA		Comfort N	A++	-		
703	1200	180	S26-SPS 20-ZU		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position:
right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1200	180	S26-SPS 21-LA		Comfort N	A++	-		
703	1200	180	S26-SPS 21-RA		Comfort N	A++	-		
703	1200	180	S26-SPS 21-UN		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position:
right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1300	180	S26-SPS 23-LA		Comfort N	A++	-		
703	1300	180	S26-SPS 23-RA		Comfort N	A++	-		
703	1300	180	S26-SPS 23-UN		Comfort N	A++	-		




mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
4 doors, 8 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1300	180	S26-SPS 24-ZA		Comfort N	A++	-		
703	1300	180	S26-SPS 24-ZU		Comfort N	A++	-		


S26 with side-mounted light profile and top lights



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
4 doors, 8 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1400	180	S26-SPS 26-ZA		Comfort N	A++	-		
703	1400	180	S26-SPS 26-ZU		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, light width 900 mm, 12V LED, LM LED, 12.96W, 485LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, selectable module position:
right external (RA), left external (LA) or underneath (UN)
door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1500	180	S26-SPS 27-LA		Comfort N	A++	-		
703	1500	180	S26-SPS 27-RA		Comfort N	A++	-		
703	1500	180	S26-SPS 27-UN		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R L L


height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1500	180	S26-SPS 28-ZA		Comfort N	A++	-		
703	1500	180	S26-SPS 28-ZU		Comfort N	A++	-		



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
3 doors, 6 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1600	180	S26-SPS 29-ZA		Comfort N	A++-A (1)	-		
703	1600	180	S26-SPS 29-ZU		Comfort N	A++-A (1)	-		




mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
4 doors, 8 glass shelves
switch/socket controllable from outside, Selectable module positions:
two outside (ZA), two underneath (ZU)
door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1700	180	S26-SPS 32-ZA		Comfort N	A+++A (1)	-		
703	1700	180	S26-SPS 32-ZU		Comfort N	A+++A (1)	-		

S26 with side-mounted light profile and top lights



mirror cabinet

incl. side-mounted LED light profile on the doors, 12V LED, LM LED, 2x7,7W
 and LED top lights, Light width 2 x 600 mm, 12V LED, LM LED, 8W, 325LM, 6000K
 4 doors, 8 glass shelves
 switch/socket controllable from outside, Selectable module positions:
 two outside (ZA), two underneath (ZU)
 door hinges on left: R R L L

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
703	1800	180	S26-SPS 34-ZA		Comfort N	A+++A (1)	-		
703	1800	180	S26-SPS 34-ZU		Comfort N	A+++A (1)	-		

LED additional lighting

for washstand lighting, 12V, LM LED, 3W
 can optionally be used with:
 S26-SPS 06-L/R (recommendation: 1 piece)
 S26-SPS 20 und S26-SPS 24 (recommendation: 2 pieces)



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	350		EB-L-WP 03			A+ (1)	-		

LED additional lighting

for washstand lighting, 12V, LM LED, 4W
 can optionally be used with:
 S26-SPS 08-L/R, S26-SPS 11, S26-SPS 13, S26-SPS 15, S26-SPS 18,
 S26-SPS 21, S26-SPS 23 and S26-SPS 27 (recommendation: 1 piece)
 S26-SPS 26, S26-SPS 28, S26-SPS 29, S26-SPS 32 and S26-SPS 34 (recommendation: 2 pieces)



Not available separately!

height	width	depth	order text	door stop	carcass quality	EEC	PG 1	PG 2	PG 3
	650		EB-L-WP 01			A+ (1)	-		